

## NAGASAKI prijslijst

### Intel 45nm Ultra low voltage Fanless industrial panel pc's

#### PPC-894T-SB-FL

Prijs 1-9

Configuration	
PPC-894 bare system bare system with	
8" stainless steel bezel	
8" 5-wire Resistive Touch screen, 4096 x 4096	
Intel 45nm ultra low power 1.6GHz CPU	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1144</b>
Minderprijs geen touchscreen	69
Meerprijs controtoetsen in front van de bezel	38
Meerprijs 0-100% dimmer	189

#### PPC-8494T-SB-FL

Prijs 1-9

Configuration	
PPC-8494 bare system bare system with	
8.4" stainless steel bezel	
8.4" 5-wire Resistive Touch screen, 4096 x 4096	
Intel 45nm ultra low power 1.6GHz CPU	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1144</b>
Minderprijs geen touchscreen	69
Meerprijs controtoetsen in front van de bezel	38
Meerprijs 0-100% dimmer	189

#### PPC-1094T-SB-FL

Prijs 1-9

Configuration	
PPC-1094 bare system bare system with	
10" stainless steel bezel	
10" 5-wire Resistive Touch screen, 4096 x 4096	
Intel 45nm ultra low power 1.6GHz CPU	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1232</b>
Minderprijs geen touchscreen	81
Meerprijs controtoetsen in front van de bezel	38
Meerprijs 0-100% dimmer	189

#### PPC-10494T-SB-FL

Prijs 1-9

Configuration	
PPC-1094 bare system bare system with	
10.4" stainless steel bezel	
10.4" 5-wire Resistive Touch screen, 4096 x 4096	
Intel 45nm ultra low power 1.6GHz CPU	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1232</b>
Minderprijs geen touchscreen	81
Meerprijs controtoetsen in front van de bezel	38
Meerprijs 0-100% dimmer	189

**PPC-1294T-SB-FL****Prijs 1-9**

Configuration	
PPC-1294 bare system bare system with	
12" stainless steel bezel	
12" 5-wire Resistive Touch screen, 4096 x 4096	
Intel 45nm ultra low power 1.6GHz CPU	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1346</b>
Minderprijs geen touchscreen	104
Meerprijs controltoetsen in front van de bezel	38
Meerprijs 0-100% dimmer	189

**PPC-1594T-SB-FL****Prijs 1-9**

Configuration	
PPC-1594 bare system bare system with	
15" stainless steel bezel	
15" 5-wire Resistive Touch screen, 4096 x 4096	
Intel 45nm ultra low power 1.6GHz CPU	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1555</b>
Minderprijs geen touchscreen	116
Meerprijs controltoetsen in front van de bezel	38
Meerprijs 0-100% dimmer	189

**PPC-1794T-SB-FL****Prijs 1-9**

Configuration	
PPC-1794 bare system bare system with	
17" stainless steel bezel	
17" 5-wire Resistive Touch screen, 4096 x 4096	
Intel 45nm ultra low power 1.6GHz CPU	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1805</b>
Minderprijs geen touchscreen	128
Meerprijs controltoetsen in front van de bezel	38
Meerprijs 0-100% dimmer	189

**PPC-1994T-SB-FL****Prijs 1-9**

Configuration	
PPC-1994 bare system bare system with	
19" stainless steel bezel	
19" 5-wire Resistive Touch screen, 4096 x 4096	
Intel 45nm ultra low power 1.6GHz CPU	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1968</b>
Minderprijs geen touchscreen	151
Meerprijs controltoetsen in front van de bezel	38
Meerprijs 0-100% dimmer	189

**PPC-2094T-SB-FL****Prijs 1-9**

Configuration	
PPC-2094 bare system bare system with	
20" stainless steel bezel	
20" 5-wire Resistive Touch screen, 4096 x 4096	
Intel 45nm ultra low power 1.6GHz CPU	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>2183</b>
Minderprijs geen touchscreen	174
Meerprijs controltoetsen in front van de bezel	38
Meerprijs 0-100% dimmer	189

**PPC-3294T-SB-FL****Prijs 1-9**

Configuration	
PPC-3294 bare system bare system with	
32" stainless steel bezel	
32" SAW Touch screen, 4096 x 4096	
Intel 45nm ultra low power 1.6GHz CPU	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>2765</b>
Minderprijs geen touchscreen	234
Meerprijs controltoetsen in front van de bezel	38
Meerprijs 0-100% dimmer	189

**PPC-4294T-SB-FL****Prijs 1-9**

Configuration	
PPC-4294 bare system bare system with	
42" stainless steel bezel	
42" 5-wire IrDA Touch screen, 4096 x 4096	
Intel 45nm ultra low power 1.6GHz CPU	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>3825</b>
Minderprijs geen touchscreen	808
Meerprijs controltoetsen in front van de bezel	38
Meerprijs 0-100% dimmer	189

**Intel 65nm Yonah industrial panel pc's****PPC-795T-AL****Prijs 1-9**

Configuration	
PPC-795 bare system, 640 x 480 pixels, 350cd/m2	
7" solid 10mm thick aluminum bezel	
7" 5-wire Resistive Touch screen, 4096 x 4096	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1219</b>
Minderprijs geen touchscreen	69
Minderprijs geen bezel	47
Meerprijs 0-100% dimmer	189
Meerprijs fanless uitvoering met 1,06GHz Intel Yonah ULV CoreSolo	217

**PPC-895T-AL****Prijs 1-9**

Configuration	
PPC-895 bare system, 800 x 600 pixels, 250cd/m2	
8" solid 10mm thick aluminum bezel	
8" 5-wire Resistive Touch screen, 4096 x 4096	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1219</b>
Minderprijs geen touchscreen	69
Minderprijs geen bezel	47
Meerprijs 0-100% dimmer	189
Meerprijs fanless uitvoering met 1,06GHz Intel Yonah ULV CoreSolo	217

**PPC-8495T-AL****Prijs 1-9**

Configuration	
PPC-8495 bare system, 800 x 600 pixels, 180 cd/m2	
8.4" solid 10mm thick aluminum bezel	
8.4" 5-wire Resistive Touch screen, 4096 x 4096	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1219</b>
Minderprijs geen touchscreen	69
Minderprijs geen bezel	47
Meerprijs 0-100% dimmer	189
Meerprijs fanless uitvoering met 1,06GHz Intel Yonah ULV CoreSolo	217

**PPC-1095T-AL****Prijs 1-9**

Configuration	
PPC-1095 bare system, 800x 600 pixels, 350 cd/m2	
10" solid 10mm thick aluminum bezel	
10" 5-Wire Resistive Touch screen, 4096 x 4096	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1314</b>
Minderprijs geen touchscreen	81
Minderprijs geen bezel	54
Meerprijs 0-100% dimmer	189
Meerprijs fanless uitvoering met 1,06GHz Intel Yonah ULV CoreSolo	217

**PPC-10495T-AL****Prijs 1-9**

Configuration	
PPC-10495 bare system, 640 x 480 pixels, 350 cd/m2	
10.4" solid 10mm thick aluminum bezel	
10.4" 5-Wire Resistive Touch screen, 4096 x 4096	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1364</b>
Minderprijs geen touchscreen	81
Minderprijs geen bezel	54
Meerprijs 0-100% dimmer	189
Meerprijs fanless uitvoering met 1,06GHz Intel Yonah ULV CoreSolo	217

**PPC-1295T-AL****Prijs 1-9**

Configuration	
PPC-1295, bare system, 1024 x 768, 200 cd/m2	
12" solid 10mm thick aluminum bezel	
12" 5-Wire Resistive Touch screen, 4096 x 4096	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
CD-ROM, slim size, Japan TEAC made	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1622</b>
Minderprijs geen touchscreen	104
Minderprijs geen bezel	70
Meerprijs 0-100% dimmer	189
Meerprijs fanless uitvoering met 1,06GHz Intel Yonah ULV CoreSolo	217

**PPC-1595T-AL****Prijs 1-9**

Configuration	
PPC-1595, bare system, 1024 x 768, 450 cd/m2	
15" solid 10mm thick aluminum bezel	
15" 5-Wire Resistive Touch screen, 4096 x 4096	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
CD-ROM, slim size, Japan TEAC made	
Industrial power adapter, AC100-240V in, DC12V out, 150W	
<b>TOTAL</b>	<b>1823</b>
Minderprijs geen touchscreen	116
Minderprijs geen bezel	98
Meerprijs 0-100% dimmer	189
Meerprijs fanless uitvoering met 1,06GHz Intel Yonah ULV CoreSolo	217

**PPC-1795T-AL****Prijs 1-9**

Configuration	
PPC-1795, bare system, 1280 x 1024, 300 cd/m2	
17" solid 10mm thick aluminum bezel	
17" 5-Wire Resistive Touch screen, 4096 x 4096	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
CD-ROM, slim size, Japan TEAC made	
Industrial power adapter, AC100-240V in, DC12V out, 150W	
<b>TOTAL</b>	<b>2000</b>
Minderprijs geen touchscreen	128
Minderprijs geen bezel	117
Meerprijs 0-100% dimmer	189
Meerprijs fanless uitvoering met 1,06GHz Intel Yonah ULV CoreSolo	217

**PPC-1995T-AL****Prijs 1-9**

Configuration	
PPC-1995 bare system, 1280 x 1024, 300 cd/m2	
19" solid aluminum bezel (this item is optional)	
19" 5-Wire Resistive Touch screen	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2/667MHz ultra high speed RAM	
80G slim anti-shock high speed SATA HDD	
CD-ROM, slim size, Japan TEAC made	
Industrial power adapter, AC100-240V in, DC12V out, 150W	
<b>TOTAL</b>	<b>2238</b>
Minderprijs geen touchscreen	151
Minderprijs geen bezel	129
Meerprijs 0-100% dimmer	189
Meerprijs fanless uitvoering met 1,06GHz Intel Yonah ULV CoreSolo	217

**PPC-2095T-AL****Prijs 1-9**

Configuration	
PPC-2095 bare system, 1280 x 1024, 300 cd/m2	
20" solid aluminum bezel (this item is optional)	
20" 5-Wire Resistive Touch screen	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2/667MHz ultra high speed RAM	
80G slim anti-shock high speed SATA HDD	
CD-ROM, slim size, Japan TEAC made	
Industrial power adapter, AC100-240V in, DC12V out, 150W	
<b>TOTAL</b>	<b>2427</b>
Minderprijs geen touchscreen	174
Minderprijs geen bezel	141
Meerprijs 0-100% dimmer	189
Meerprijs fanless uitvoering met 1,06GHz Intel Yonah ULV CoreSolo	217

**PPC-3295T****Prijs 1-9**

Configuration	
PPC-3295 bare system, 1366 x 768, 500 cd/m2	
32" SAW Touch screen (optional)	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2/667MHz ultra high speed RAM	
80G slim anti-shock high speed SATA HDD	
Industrial power adapter, AC100-240V in, DC12V out, 150W	
<b>TOTAL</b>	<b>2783</b>
Minderprijs geen touchscreen	527

**PPC-4295T****Prijs 1-9**

Configuration	
PPC-4295 bare system, 1366 x 768, 600 cd/m2	
42" SAW Touch screen (optional)	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2/667MHz ultra high speed RAM	
80G slim anti-shock high speed SATA HDD	
Industrial power adapter, AC100-240V in, DC12V out, 150W	
<b>TOTAL</b>	<b>4290</b>
Minderprijs geen touchscreen	931

**Intel 65nm Yonah industrial Fanless panel pc's****PPC-1096T-AL****Prijs 1-9**

Configuration	
PPC-1096 bare system, 800x 600 pixels, 350 cd/m2	
10" solid 10mm thick aluminum bezel	
10" 5-Wire Resistive Touch screen, 4096 x 4096	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1507</b>

**PPC-1296T-AL****Prijs 1-9**

Configuration	
PPC-1296, bare system, 1024 x 768, 200 cd/m2	
12" solid 10mm thick aluminum bezel	
12" 5-Wire Resistive Touch screen, 4096 x 4096	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
CD-ROM, slim size, Japan TEAC made	
Industrial power adapter, AC100-240V in, DC12V out, 96W	
<b>TOTAL</b>	<b>1658</b>

**PPC-1596T-AL****Prijs 1-9**

Configuration	
PPC-1596, bare system, 1024 x 768, 450 cd/m2	
15" solid 10mm thick aluminum bezel	
15" 5-Wire Resistive Touch screen, 4096 x 4096	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
CD-ROM, slim size, Japan TEAC made	
Industrial power adapter, AC100-240V in, DC12V out, 150W	
<b>TOTAL</b>	<b>1797</b>

**PPC-1796T-AL****Prijs 1-9**

Configuration	
PPC-1796, bare system, 1280 x 1024, 300 cd/m2	
17" solid 10mm thick aluminum bezel	
17" 5-Wire Resistive Touch screen, 4096 x 4096	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2 / 667MHz high speed RAM	
80GB slim anti-shock SATA high speed HDD	
CD-ROM, slim size, Japan TEAC made	
Industrial power adapter, AC100-240V in, DC12V out, 150W	
<b>TOTAL</b>	<b>1936</b>

**PPC-1996T-AL****Prijs 1-9**

Configuration	
PPC-1996 bare system, 1280 x 1024, 300 cd/m2	
19" solid aluminum bezel (this item is optional)	
19" 5-Wire Resistive Touch screen	
Intel 65nm Yonah high speed Mobile 1.6GHz CPU, 1M L2 cache	
1GB DDR-2/667MHz ultra high speed RAM	
80G slim anti-shock high speed SATA HDD	
CD-ROM, slim size, Japan TEAC made	
Industrial power adapter, AC100-240V in, DC12V out, 150W	
<b>TOTAL</b>	<b>2062</b>

## NAGASAKI MINI PC

Description	Prijs
<b>MS6000</b>	<b>1~29</b>
Mini PC, complete fanless <ul style="list-style-type: none"> <li>▪ 1.6GHz CPU,</li> <li>▪ 1GB high speed DDR RAM</li> <li>▪ 80Gb HDD</li> <li>▪ Power adapter 100-240VAC</li> </ul>	€ 947

**Optional :**

Embedded Windows XP (WE-POS)	116
Windows 7 Home Premium	170
Windows 7 Pro	222
Windows 7 Ultimate	302
Voor xx95: Intel 65nm Yonah Mobile 1.86GHz CPU, 1M L2	23
Voor xx95: Intel 65nm Yonah Duo Core Mobile 2GHz CPU, 2M L2 cache	156
24VDC power adapter (meerprijs tov standaard 230VAC adapter)	25
12VDC power adapter (meerprijs tov standaard 230VAC adapter)	25
Meerprijs 4Gb Flashdisk (DOM) ipv 80Gb HDD	63
Meerprijs DVD-ROM ipv CDROM	38
Meerprijs DVD-RW ipv CDROM	79
Minderprijs voor vervallen van CD-ROM slim size	41
Meerprijs VESA 75 wandbevestigingsset	32
Meerprijs mounting clip power supply unit	50
Meerprijs 1500cd/m2 sun-readable TFT	bel
Meerprijs dimmer	bel

**De standaard bezel-kleur van alle modellen met Alu-bezel is zwart.**

**Kleur zilver op aanvraag.**

Alle prijzen zijn onder voorbehoud en kunnen op elk moment worden aangepast.

De prijzen zijn netto per stuk, excl. BTW

Korting 10-29 stuks: 10%

Kortingen bij 30 stuks en meer op aanvraag

**Delmation Products BV**

Tel: 079-3422041

Fax: 079-3424461

